

WHAT IS CLAIMED IS:

1. A cosmetic composition comprising
 - a) at least one liquid fatty phase and
 - b) a dispersion of at least one polymer particle dispersed in the at least one liquid fatty phase, and
 - c) at least one ester of at least one carboxylic acid comprising from 1 to 7 carbon atoms and at least one polyol comprising at least 4 hydroxyl groups, the at least one ester having a molecular mass of less than 5,000 g/mol.
2. The composition according to claim 1, wherein the at least one ester has a molecular mass of less than 2,000 g/mol.
3. The composition according to claim 2, wherein the at least one ester has a molecular mass of less than 1,000 g/mol.
4. The composition according to claim 3, wherein the at least one ester has a molecular mass of less than 900 g/mol.
5. The composition according to claim 1, wherein the at least one polyol is chosen from monosaccharides and polysaccharides comprising from one to 10 monosaccharide units.
6. The composition according to claim 5, wherein the at least one polyol is chosen from monosaccharides and polysaccharides comprising from one to 4 monosaccharide units.
7. The composition according to claim 6, wherein the at least one polyol is chosen from monosaccharides and polysaccharides comprising one or two monosaccharide units.

8. The composition according to claim 1, wherein the at least one polyol is chosen from monosaccharides and monosaccharide derivatives chosen from erythritol, xylitol, sorbitol and glucose.

9. The composition according to claim 1, wherein the at least one polyol is chosen from disaccharides.

10. The composition according to claim 9, wherein the disaccharide is sucrose.

11. The composition according to claims 1, wherein the at least one ester comprises no polar group chosen from ionic and non-ionic polar groups.

12. The composition according to claim 11, wherein the non-ionic polar groups are chosen from -COOH; -OH; ethylene oxide; propylene oxide; -PO₄; -NHR; and -NR₁R₂, wherein R₁ and R₂, which may be identical or different, optionally form a ring and are chosen from linear and branched C₁ to C₂₀ alkyl and alkoxy radicals.

13. The composition according to claim 1, wherein the at least one ester is an ester of at least two different monocarboxylic acids.

14. The composition according to claim 13, wherein the at least one ester is an ester of two monocarboxylic acids each comprising from 1 to 5 carbon atoms.

15. The composition according to claim 1, wherein at least one the carboxylic acid is chosen from linear and branched, unsubstituted acids.

16. The composition according to claim 14, wherein the at least one carboxylic acid is chosen from acetic, n-propanoic, isopropanoic, n-butanoic, isobutanoic, tert-butanoic, n-pentanoic and benzoic acids.

17. The composition according to claim 1, wherein the at least one ester is sucrose diacetate hexa(2-methylpropanoate).

18. The composition according to claim 1, wherein the at least one polymer particle is surface-stabilized in the at least one liquid fatty phase by at least one stabilizer.

19. The composition according to claim 1, wherein the at least one polymer particle has a mean size ranging from 5 to 800 nm.

20. The composition according to claim 1, wherein the at least one polymer particle is insoluble in water-soluble alcohols.

21. The composition according to claim 1, wherein the at least one polymer particle is chosen from polyurethanes, acrylic polyurethanes, polyureas, polyurea-polyurethanes, polyester-polyurethanes, polyether-polyurethanes, polyesters, polyester amides, fatty-chain polyesters, alkyds; acrylic and/or vinyl polymers or copolymers; acrylic-silicone copolymers; polyacrylamides; silicone polymers, fluoro polymers, and mixtures thereof.

22. The composition according to claim 1, wherein the at least one polymer particle is filmable.

23. The composition according to claim 1, wherein the at least one polymer particle ranges in amount, in terms of dry matter, from 5 to 40% of the total weight of the composition.

24. The composition according to claim 23, wherein the at least one polymer particle ranges in amount, in terms of dry matter, from 5 to 35% of the total weight of the composition.

25. The composition according to claim 24, wherein the at least one polymer particle ranges in amount, in terms of dry matter from 8 to 30% of the total weight of the composition.

26. The composition according to claim 18, wherein the at least one stabilizer is chosen from block polymers, graft polymers, and random polymers.
27. The composition according to claim 18, wherein the at least one stabilizer is chosen from graft block polymers and block polymers comprising at least one block resulting from the polymerization of diene and at least one block of a vinyl polymer.
28. The composition according to claim 27, wherein the at least one stabilizer is a diblock polymer.
29. The composition according to claim 1, wherein the composition comprises a colloidal dispersion of particles which are solid at ambient temperature and are chosen from pigments, nacles and mixtures thereof.
30. The composition according to claim 29, wherein the colloidal dispersion ranges from 0.5 to 60% by weight of the composition.
31. The composition according to claim 30, wherein the colloidal dispersion ranges from 2 to 40% by weight of the composition
32. The composition according to claim 31, wherein the colloidal dispersion ranges from 2 to 30% by weight of the composition.
33. The composition according to claim 29, wherein the colloidal dispersion comprises a particle dispersant chosen from poly(12-hydroxystearic) stearate, poly(12-hydroxystearic) acid, diglyceryl 2-dipolyhydroxystearate and mixtures thereof.
34. The composition according to claims 29, wherein the colloidal dispersion comprises a fatty substance which is liquid at ambient temperature.
35. The composition according to claim 34, wherein the fatty substance which is liquid at ambient temperature is hydrogenated polyisobutene.

36. The composition according to claim 1, wherein the at least one liquid fatty phase comprises a non-volatile fatty phase and a volatile fatty phase.

37. The composition according to claim 36, wherein the volatile fatty phase comprises at least one oil chosen from C₈-C₁₆ isoalkanes.

38. The composition according to claim 37, wherein the volatile fatty phase comprises at least one oil chosen from isododecane and isohexadecane.

39. The composition according to claim 1, wherein the composition is substantially free of silicone oil.

40. The composition according to claim 1, wherein the composition is substantially free of fatty alcohol.

41. The composition according to claim 36, wherein the non-volatile fatty phase is apolar.

42. The composition according to claim 41, wherein the non-volatile fatty phase comprises at least one hydrocarbon oil,

43. The composition according to claim 42, where the hydrocarbon is hydrogenated polyisobutene.

44. The composition according to claim 1, wherein the composition comprises a gelling agent chosen from polymeric gelling agents and mineral gelling agents.

45. The composition according to the claim 44, wherein the gelling agent is a polymeric gelling agent chosen from amorphous block copolymers of styrene and olefin.

46. The composition according to claim 45, wherein the polymeric gelling agent is advantageously a triblock copolymer chosen from styrene-ethylene/propylene-styrene copolymers, styrene-ethylene/butadiene-styrene copolymers, styrene-isoprene-styrene copolymers and styrene-butadiene-styrene copolymers.

47. The composition according to claim 46, wherein the triblock copolymer is hydrogenated.

48. The composition according to claim 44, wherein the gelling agent is present in an amount ranging from 0.1 to 5% by weight, relative to the total weight of the composition.

49. The composition according to claim 48, wherein the gelling agent is present in an amount ranging from 0.2 to 3% by weight, relative to the total weight of the composition.

50. The composition according to claim 49, wherein the gelling agent is present in an amount ranging from 0.5 to 2% by weight, relative to the total weight of the composition

51. The composition according to claim 44, wherein the gelling agent is a polymeric gelling agent chosen from polycaprolactones.

52. The composition according to claim 51, wherein the polycaprolactones are chosen from ϵ -caprolactone homopolymers with a molecular weight ranging from 300 to 2,000 g/mol.

53. The composition according claim 1, wherein the composition comprises at least one wax.

54. The composition according claim 1, wherein the at least one wax is chosen from ethylene polymers and copolymers, and linear alcohols comprising 20 to 50 carbon atoms.

55. The composition according to claim 1, wherein the composition is in a form chosen from a stick or bar, a smooth paste, and a liquid.

56. The composition according to claim 1, wherein the composition is in anhydrous form.

57. The composition according to claim 1, wherein the composition is in the form of a product for caring for and/or making up the skin and/or lips.

58. The composition according to claim 1, wherein the composition is in a form chosen from a foundation, a blusher or eyeshadow, a lipstick, a care base or care balm for the lips, a concealer product, an eyeliner and a mascara.

59. A method of cosmetic care or makeup of the lips or skin, comprising applying to the lips or skin a cosmetic composition comprising

- a) at least one liquid fatty phase and
- b) a dispersion of polymer particles dispersed in the said fatty phase, and
- c) at least one ester of at least one carboxylic acid comprising 1 to 7 carbon atoms and at least one polyol comprising at least 4 hydroxyl groups, the ester having a molecular mass of less than 5,000 g/mol.

60. A method of limiting the transfer and/or enhancing the staying power and/or facilitating the application of a composition for making up or caring for the skin or lips, comprising applying to the skin or lips a composition, wherein the composition comprises

- a) at least one liquid fatty phase, and
- b) a dispersion of at least one polymer particle dispersed in the at least one liquid fatty phase, and introducing into the liquid fatty phase at least one ester of at least one acid comprising 1 to 7 carbon atoms and at least one polyol comprising at least 4 hydroxyl groups, the at least one ester having a molecular mass of less than 5,000 g/mol.

61. A method of making a composition for application to the skin, lips and epidermal integuments comprising adding to the composition

- i) particles of at least one polymer dispersed in at least one liquid fatty phase and surface-stabilized by at least one stabilizer, and

ii) an ester of at least one acid comprising from 1 to 7 carbon atoms and at least one polyol comprising at least 4 hydroxyl groups, the at least one ester having a molecular mass of less than 5,000 g/mol, wherein the composition enhances the non-transfer quality of the composition and/or enhances its staying power over time, and/or facilitates its application.

62. A cosmetic makeup product comprising

a first composition comprising

a) at least one liquid fatty phase and

b) a dispersion of at least one polymer particle dispersed in the at least one liquid fatty phase, and

c) at least one ester of at least one carboxylic acid comprising from 1 to 7 carbon atoms and at least one polyol comprising at least 4 hydroxyl groups, the at least one ester having a molecular mass of less than 5,000 g/mol, and

a second composition comprising a physiologically acceptable medium.